

D0900811_ELIGO_35_WATT_BEAM_DUMP_S.POL_FOOT_SPACER_LH, PART PDM REV: X-003, DRAWING PDM REV: X-002

NOTES CONTINUED:
 Ⓢ SCRIBE, ENGRAVE, OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER AND REVISION ON NOTED SURFACE FOLLOWED ON THE NEXT LINE BY A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: DXXXXXX-VY, S/N 001. A VIBRATORY TOOL MAY BE USED.

REV.	DATE	DCN #	DRAWING TREE #
-	-	-	-
-	-	-	-
-	-	-	-

D

C

B




A

D


C

B

A



NOTE:
 IDENTICAL TO PART D0900810
 EXCEPT MIRROR IMAGE



NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)				LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY		PART NAME	
DIMENSIONS ARE IN INCHES TOLERANCES: .XX ± .02 .XXX ± .005 ANGULAR ± °				1. INTERPRET DRAWING PER ASME Y14.5-1994. 2. REMOVE ALL SHARP EDGES, R.02 MIN. 3. DO NOT SCALE FROM DRAWING. 4. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410.		ELIGO_35W_BEAM_DUMP_S.POL_FT_SPCER_LH	
MATERIAL AISI 304 / 303		FINISH N/A μinch		SYSTEM ENHANCED LIGO		SUB-SYSTEM AOS	
NEXT ASSY D0900177				DESIGNER KMAILAND		DATE 4-20-2009	
SCALE 1:1				PROJECTION 		SIZE DWG. NO. B D0900811	
REVISION v1				SHEET 1 OF 1			

8

7

6

5

4

3

2

1