Abbreviation / Acronym	Meaning / Explanation
1PPS	One Pulse Per Second
3IFO	Third interferometer (spare being sent to India for LIGO India)
40m	R&D Test Facility at LIGO Caltech
40m Lab	R&D Test Facility at LIGO Caltech
A+	Upgrade Project of Incremental improvements to the aLIGO Detectors
AA	Anti-Aliasing
AAAS	American Association for the Advancement of Science
AAPT	American Association of Physics Teachers
AC	Alternating Current
ACB	Arm Cavity Baffle (element of aLIGO AOS)
ACIGA	Australian Consortium for Interferometric Gravitational Wave Astronomy
ACR	Advanced LIGO Change Request
ACWP	Actual Cost of Work Performed
ADC	Analog-to-Digital Converter
ADCU	Analog Data Collection Unit; Analog to Digital Converter Unit (A computer that takes an analog signal and assigns a digital value for computations)
ADE	Advanced Detector Era
AdL	Advanced LIGO (not used after 20091104; use aLIGO instead)
AdLIGO	Advanced LIGO (not used after 20091104; use aLIGO instead)
ADS	Alignment Dither System
ADTR	Advanced Detector Technology Research (from WBS)
AdvLIGO	Advanced LIGO (not used after 20091104; use aLIGO instead)
AEI	Albert Einstein - Max Planck Gravitational Wave Institute, partner with LZH
AERA	American Educational Research Association
AERM	Annular End Reaction Mass; a variant of the ERM with a central hole to mitigate squeezed film damping
Al	Anti-Imaging
AIA	American Institute of Architects
AIC	Advanced Interferometer Configurations (USF)
AISES	American Indian Science and Engineering Society
AL	Advanced LIGO (not used after 20091104; use aLIGO instead+B454)
ALH	Alarm Handler (EPICS)
aLIGO	Advanced LIGO (used after 20091104)
ALS	Armlength Stabilization System (aLIGO ISC)
ALTS	aLIGO Target Sensitivity (from WBS)
ALUK	Advanced LIGO UK consortium
AM	Amplitude Modulation
AMD	Acoustic Mode Damper
AMO	Atomic, Molecualr & Optical
AMU	Atomic Mass Unit
ANL	Argonne National Laboratory?
ANTARES	Astronomy with a Neutrino Telescope and Abyss environmental RESearch
ANU	Australian National University

Abbreviation / Acronym	Meaning / Explanation
AOC	Adaptive Optics Compensation
AOM	Acousto-Optic Modulation
AOS	Auxiliary Optics System (subsystem in aLIGO)
AOSEM	A version of the OSEM (as distinct from the B-OSEM)
API	Application Programming Interface
APS	American Physical Society; Absentmindedness Prevention System
AR	Anti-Reflection Coating; Anti-Reflective
AS	Anti-Symmetric Anti-Symmetric
ASC	Alignment Sensing and Control (detector subsystem) - Generally speaking, this controls mirror positions (6 degrees of freedom); Angular Sensing and Control
ASI	Anti-Symmetric Input
ASIC	Application Specific Integrated Circuit
ASPD	Anti-Symmetric Photo Diode (4 of them on ISCT4)
Assy	Assembly
ASTC	Association of Science - Technology Centers
ATM	Asynchronous Transfer Mode (communications protocol)
ATR	Acceptance Test Report
AuxMVC	Multivariate Classifers for Auxiliary Channels
AWG	Arbitrary Waveform Generator
AXP	Anomalous X-ray pulsar
AY	Actual Year
BAC	Budget at Completion
BAE	Biological and Agricultural Engineering
Baudline	A plotting tool
ВВН	Binary Black Hole pair
BCS	Beam Centering Servo - Centers beam on beam splitter (visual on SPIRICON)
BCV	Bilinear Coupling Veto
BCWP	Budgeted Cost of Work Performed
BCWS	Budgeted Cost of Work Scheduled
ВН	Black Hole
BH-BH	Black Hole - Black Hole (Binary Black Hole pair)
BJT	Bipolar Junction Transistor
BNC	Bayonet Nut Connector
BNS	Binary Neutron Star pair
BOSEM	Birmingham University version of the OSEM, optical sensor - electromagnetic motor unit
BPCU	Beam Pointing Control Unit
BRDF	Bidirectional Reflection Distribution Function
BRS	Beam Rotation Sensor
BRT	Beam Reducing Telescope (AOS TMS element)
BS	Beam Splitter; Obvious academic alternative reluctantly removed
BSC	Basic Symmetric Chamber; Beam Splitter Chamber (large vacuum chamber)
BSC1	LLO - houses ITMY
BSC2	LLO - houses Beam splitter

Abbreviation / Acronym	Meaning / Explanation
BSC3	LLO - houses ITMX
BSC4	LLO - houses ETMX
BSC5	LLO - houses ETMY
BSDF	Bidriectional Scatter Distribution Function
BSM	Beam Spot Motion
ВТ	Beam Tube
BTE	Beam Tube Enclosure
CA	Clear Aperture; Channel Access (EPICS Control & Monitoring system network protocol)
CACR	Center for Advanced Computer Research (Caltech)
CAD	Computer Aided Design
CaJAGWR	Caltech-JPL Association for Gravitational Wave Research
Caltech	California Institute of Technology
CARM	Common Arm Length - Sum of the arm length (to establish laser frequency) = (Lx + Ly)
CB&I	Chicago Bridge & Iron
CBC	Compact Binary Coalescence; Columbia Basin College
CC	Civil Construction
CCB	Change Control Board; Configuration Control Board
CCD	Charge Coupled Device
CCSNs/CCSNe	Core Collapse Super Novae
CD	Conceptual Design
CDR	Conceptual Design Review
CDRL	Contract Data Requirements List
CDS	Control and Data System (detector subsystem); Cognitive Development Society
CIT	California Institute of Technology
CLF	Coherent Locking Field (a light field in a squeezed light source which employs a control laser for quadrature control)
СМВ	Cosmic Microwave Background
CMMS	Computerized Maintenance Management System
CMRR	Common Mode Rejection Ratio
CMS	Control and Monitoring System (a part of CDS)
СО	Carbon Monoxide
CO ₂	Carbon Dioxide; also CO ₂ Laser, used in the Auxiliary Optics Thermal Compensation subsystem
COC	Core Optics Components (detector subsystem)
CompComm	Computing Administration Committee
Conlog	A method of monitoring and storing EPICS channel values
cos	Core Optics Support (detector subsystem)
COTS	Commercial Off-The-Shelf (procured items)
СР	Cryogenics Pump; Compensation Plate (part of TCS); Chiller Pad (part of FAC)
CPS	Capacitive Position Sensor (element of aLIGO seismic isolation system); or Cycles Per Second
CPU	Central Processing Unit
CPx	Compensation Plate (part of TCS), x-arm
СРу	Compensation Plate (part of TCS), y-arm

CRC Cyclic Redundancy Check CSC Computer Secuirty Committee CSIRO Commonwealth Scientific and Industrial Research Organization (Australia) CSSR Cost Schedule Status Report CTN Cryogenic Coating Thermal Noise CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave cWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition (Diagnostics and Contols (alignostics and y arm lengths; The main interferometer and the provided and Scientific Computing DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Data Working Bead Board DC Direct Current (steady state) DC C Document Control Center DCMON DC Monitor (Voltage or Current Monitor)	errerometer
CSC Computer Secuirty Committee CSIRO Commonwealth Scientific and Industrial Research Organization (Australia) CSSR Cost Schedule Status Report CTN Cryogenic Coating Thermal Noise CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Differential Arm (Length, Signal) - Difference between the x and y arm lengths; The main into output signal for GIW detaction = (L x + L x) DASC Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC C Document Control Center	епеготелег
CSIRO Commonwealth Scientific and Industrial Research Organization (Australia) CSSR Cost Schedule Status Report CTN Cryogenic Coating Thermal Noise CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Dimerential Arm (Length, Signal) - Dimerence between the x and y arm lengths; The main into output signal for GM detection - (1 x x 1 x) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	епеготелег
CSSR Cost Schedule Status Report CTN Cryogenic Coating Thermal Noise CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave cWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Dimerential Artin (Lerngin, Signal) - Dimerence between the x and y arm lengths; The main into authors signal for GW dataction - (L x - L x) DASC Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	enerometer
CTNI Cryogenic Coating Thermal Noise CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave cWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM DIMERENITIAN ARTH (Length, Signal) - DIMERENITIAN ARTH (Length, Signal) for GW dataction = (1 × - 1 ×) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool DBB Diagnostic Bread Board DC Direct Current (steady state) DC C Document Control Center	епеготелег
CTNI Cryogenic Thermal Noise Interferometer CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Differential Arm {Lengin, Signal} - Difference between the x and y arm lengths, The main into authors signal for GW dataction = (I x - 1 x) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	enerometer
CVS Concurrent Versions System - A method for controlling versions CW Continuous Wave CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DIRECT DIRECT STATE (Language of Live Live) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group DASWG Data Analysis Software Working Group DASWG Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	enerometer
CW Continuous Wave CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM DIFFERENCE DETAILS (DIAGNOSTICS COMPUTED TO THE MEDICAL PROPERTY OF THE MEDICAL PROPE	enerometer
CWB Coherent wave burst DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Differential Arm {Length, Signal} - Difference between the x and y arm lengths; The main into output signal for GW detection = (Lx_L) \(\) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	enerometer
DAC Digital-to-Analog Converter DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Differential Arm (Length, Signal) - Difference between the x and y arm lengths; The main into output signal for GW detection = (Lx - Lx) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	enerometer
DAQ Data Acquisition (Diagnostics and Contols (aLIGO Subsystem name)) DAQS Data Acquisition System DARM Differential Arm {Length, Signal} - Difference between the x and y arm lengths; The main into output signal for GW detection = (L x - L y) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC Document Control Center	errerometer
DAQS Data Acquisition System DIMETERING Arm (Length, Signal) - Dimeterice between the x and y arm lengths; The main into output signal for GW detection = (I x - I w) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC creadout Direct Current Readout (of the gravitational wave) DCC Document Control Center	епеготеег
DAQS Data Acquisition System DIMETERING Arm (Length, Signal) - Dimeterice between the x and y arm lengths; The main into output signal for GW detection = (I x - I w) DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC creadout Direct Current Readout (of the gravitational wave) DCC Document Control Center	errerometer
DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC creadout Direct Current Readout (of the gravitational wave) DCC Document Control Center	errerometer
DASC Data Archiveal and Scientific Computing DASI Data Analysis Support and Improvement (from WBS) DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
DASWG Data Analysis Software Working Group Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
Dataviewer A data visualization tool dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
dB Decibel DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
DBB Diagnostic Bread Board DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
DC Direct Current (steady state) DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
DC readout Direct Current Readout (of the gravitational wave) DCC Document Control Center	
DCC Document Control Center	
DCMON DC Monitor (Voltage or Current Monitor)	
DCPD DC Photodiode	
DCS Data and Computing Systems (aLIGO subsystem name)	
DCU Data Collection Unit	
Deg Degree, Degrees	
DET Detector system	
DetChar Detector Characterization	
DFT Discrete Fourier Transform (as opposed to Fast Fourier Transforms (FFT))	
DI Digital Interferometry, system to allow pre-lock positioning of mirrors	
DIA Data Information Area (of reflected memory)	
DIN Deutsches Institut fur Normung (German Standards Organization)	
DMA Direct Memory Access	
DMRO Differential Mode Read-Out	
DMT Diagnostic Monitoring Tool; Data Monitoring Tool	
DOF Degree Of Freedom	
DoS Denial of service cyber attack	
DRD Design Requirements Document	,
DRFPM Dual-Recycled Fabry-Perot Michelson (Interferometer)	
DRMI Dual Recycled Michelson Interferometer	
DRR Design Requirements Review	

Abbreviation / Acronym	Meaning / Explanation
DSE	Detector Systems Engineering
DSP	Digital Signal Processing
DTT	Diagnostic Test Tool
e2e; E2E	End-To-End Modeling (interferometer simulation)
EAC	Estimate at Completion
ECA	EPICS Channel Access
ECD	Eddy Current Damping
ECM	Eistein's Cosmic Messengers
EDCU	EPICS Data Collection Unit
EDSU	EPICS Data Server Unit
EFT	Effective Field Theory
EGO	European Gravitational Wave Observatory
EH&S	Environmental Health & Safety
eLIGO	Enhanced LIGO (updated initial LIGO, in use until 20 October 2010)
EM	Electromagnetic
EMA	Experimental Modal Analysis System
EMC	Electro-Magnetic Compatibility
EMI	Electro-Magnetic Interference
En	Engineering Run n (for example, E4 is Engineering Run 4)
EO	Electro-Optical
EOM	Electro-Optic Modulator (optical hardware)
EOS	Equation of State
EPI	External Pre-Isolator
EPICS	Experimental Physics and Industrial Control System
EPO	Education & Public Outreach
EPOC	Education, Public Outreach, Collaboration, and Community Activities (from WBS)
ER	Engineering Run
ERC	Electronic Rule Checking (PCB Design)
ERM	End Reaction Mass
ESD	Electro Static Drive / Electro-Static Discharge
ESD/ESD123	WA State Educational School District 123
ET	Einstein Telescope
ETC	Estimate to Complete (estimated cost to complete work)
ETF	Engineering Test Facility (Caltech Lab)
ETM	End Test Mass (mirror) - Partially reflective mirror; second mirror in Fabry Perot Cavity
ETM	End Test Mass
ETMX	End Test Mass - X arm
ETMY	End Test Mass - Y arm
EVO	Enabling Virtual Organizations
EXC	Excitation (channel)
ExtTrig	External Triggers
EZCA	Easy Channel Access(?) EPICS Application(?)
FAC	Facilities (part of CC) - replaced by FMP
l· · · · •	- samues (part of oc) Topicood by this

Abbreviation / Acronym	Meaning / Explanation
FAMIS	Facilities Management and Space Planning software
FCMS	Facility Control and Monitoring System
FCR	Facility Control Room
FDR	Final Design Review
FE	Front End (computer)
FEA	Finite Element Analysis
FEI	Facilities Engineering Items
FEM	Finite Element Model/Method
FET	Field-effect Transistor
FFT	Fast Fourier Transform (as opposed to Discrete Fourier Transforms (DFT))
FI	Faraday Isolator (optical component)
FIFO	First In First Out
FINESSE	Frequency Domain Interferometer Simulation Software
FIR	Finite Impulse Response (filter)
FIT	Function and Integration Test
FLOPS	Floating Point Operations Per Second
FM	Folding Mirror; Frequency Modulation
FMEA	Failure Modes and Effects Analysis
FMP	Facilities Management Plan; Facility Modifications and Preparations
FOM	Figure Of Merit
FP	Fabry-Perot cavity
FPGA	Field Programmable Gate Array
FR	Faraday Rotator (optical component)
Framebuilder	A DAQS computer dedicated to building frames
FS	Fused Silica
FSR	Full Scale Reference
FSS	Frequency Stablization Servo
FTE	Full Time Equivalent
FTIR	Fourier Transform Infrared, Frustrated Total Internal Reflection
FY	Fiscal Year
GASF	Geometrical Anti-Spring Filter
GB	Ghost Beam
GC	General Computing
GCN	Gamma Ray Burst Coordination Network
GDS	Global Diagnostics System
GenComp	General Computing
GEO	German-English Observatory; British-German Cooperation for Gravity Wave Experiment
GEO-HF	GEO-High Frequency
GFLOPS	Giga (1000 Million) Floating Point Operations per Second
GPL	Graphics Program Language
GPM	Gallons Per Minute
GPS	Global Positioning System
GR	General Relativity

Abbreviation / Acronym	Meaning / Explanation
GRB	Gamma-Ray Burst
GRD	Gaurdian - aLigo interferometer automation and control software
GS13	Geotech, Inc. Seismometer Model GS-13
gstlal	G-streamer LIGO Analysis Library
gstreamer	GPU data analysis tool
GUI	Graphical User Interface
Guralp, STS2, Trillium	Seismic ground motion sensors manufactured by various vendors
GW	Gravitational Wave (not Gravity Wave, which is a water-wave phenomenon)
GWADW	Gravitational Wave Advanced Detector Workshop
GWB	Gravitational Wave Band (10Hz through 10 kHz for 'Advanced' detectors)
GWD	Gravitational Wave Detector
GWDAW	Gravitational Wave Data Analysis Workshop
GWDS	Gravitational Wave Data Science (from WBS)
GWIC	Gravitational Wave International Committee
GWINC	Gravitational wave interferometer Noise Calculator. Originally developed for LIGO, this version has been modified for Advanced Virgo.
GWOSC	Gravitational Wave Open Science Center (formerly LOSCname changed August 2018)
Н	Horizontal
H1	Hanford 4K Interferometer
H2	Hanford 2K Interferometer (to be revised to 4K by aLIGO)
HAM	Horizontal Access (Axis) Module; general purpose optics vacuum chamber (input and output optics)
HAMA	HAM Auxiliary Coil Driver
HAM AUX	Input Optics HAM2 3-inch optics/suspensions (SM1, PMMT1, PMMT2, SM2) also known as IM1-4
HAM1	LLO - holds MC1, MC3, MMT1, and MMT3
HAM2	LLO - holds MC2, MMT2
HAM3	LLO - holds recycling mirror
HAM4	LLO - holds telescopes, anti-symmetric port, excess light catcher
HAM5	LLO - currently empty
HAM6	LLO - holds output mode cleaner
HAUX	Input Optics HAM Auxilliary Suspensions
HEASARC	High Energy Astrophysics Science Archive Research Center
HEPA	High-Efficiency Particulate Air filter
HEPI	Hydraulic External Pre-Isolator, an element of the SEI that isolates chambers from seismic activity
HG	Hermite-Gauss (typically refers to a rectangularly symmetric basis)
HHLV	LIGO-Virgo Network
HLTS	HAM Large Triple Suspension
НОМ	High Order Mode
HPLF	High Power Laser Facility
HPSS	High Performance Storage System (IBM)
HR	High Reflectance (mirror coating); Highly Reflective; Human Resources
HSTS	HAM Small Triple Suspension
HTM	Higher Transverse Modes (other than TEM00 mode)

Abbreviation / Acronym	Meaning / Explanation
HTR	Heater - Heats up a block or aluminum to control the snape of a mirror in the ONIC (the mirror is
HVAC	Mounted to the aluminum block) Heating Ventilation and Air Conditioning
HWCI	Hardware Configuration Item
HWP	Half-Wave Plate (optical hardware)
HWS	Hartmann Wavefront Sensor (part of aLIGO Thermal Compensation System)
Hz	Hertz (cycles per second)
I/O	Input/Output
I2U2	Interactions in Understanding the Universe
IAS	Initial Alignment System (part of aLIGO AOS); Institut d'Astrophysique Spatiale
IBS	Ion Beam Sputtering
IC	Integrated Circuit
ICD	Interface Control Document
IceCube	South Pole Neutrino Observatory
ICS	Inventory Control System
ICWD	Interface Control Working Group
IDC	Insulation Displacement Contact (Connector)
IDE	Integrated Drive Electronics (disk standard)
IDS	Intrusion Detection System
IFO	Interferometer - Device used to measure interference of light
IGWD	Interferometric Gravitational Wave Detectors
IIR	Infinite Impulse Response (filter)
IL	Initial LIGO
ILC	Iterative Learning Control
iLIGO	Initial LIGO
ILMON	In-Loop Monitor (witness sensor for RIN on the laser light)
ILSENS	In-Loop Sensor for PSL's ISS
IM	Input Optics Input Mirror
IMBH	Intermediate Mass Black Hole
IMC	Input Mode Cleaner (iLIGO 'MC')
IMR	inspiral, merger and ringdown
IMS	Input Mode cleaner Suspension (Obsolete in aLIGO)
Ind-IGO	Indian Initialitive in Gravitational Observations
Infiniband	Point-to-point, bi-directional, high-speed, serial link
InGaAs	Indium-Gallium-Arsenide
INJ	Injected Signal (Injection)
INS	Installation (aLIGO subsytem name)
INSA	French National Institute for Applied Science
100	Input Optics (detector subsystem, formerly named Input / Output Optics) Input / Output Optics (obsolete)
IOT	Input Optics (obsolete) Input Optics Table - Views mode cleaner transmission and reflection (Obsolete in aLIGO)
IOT(chamber #)L	input Optics Table (chamber #) Left (as viewed from the PSL), for example 1012L, views input mode
IOT(chamber #)R	input of transmission and reflection (as viewed from the PSL), for example 1012K, views HAIVIZ IIVI4
IP	transmission Ion Pump; Inverted Pendulum; Internet Protocol
11	non ramp, inverted randulum, internet F10t0col

Abbreviation / Acronym	Meaning / Explanation
IPAC	Infrared Processing and Analysis Center
IPR	Institute for Plasma Research (India)
IPS	Inductive Position Sensor
IR	Infrared
ISC	Interrerometer Sensing and Control - Sensors to monitor the function of the interrerometer; instrument Sensing and Control
ISCT1	LLO - Views symmetric port (bright fringe) of interferometer
ISCT2	LLO - Views ???
ISCT3	LLO - Views Y-pickoff LLO - Views Anti-symmetric (AS) (dark minge) or interrerometer/ views A-pickon/ views Beam-Splitter
ISCT4	nick off
ISCTn	Interferometer Sensing and Control Table n (n corresponds to the HAM it is closest to)
ISI	Internal Seismic Isolation, an element of the SEI
ISR	Interrupt Service Routine
ISS	Intensity Stabilization Servo
ITM	Input Test Mass (mirror) - Partially reflective mirror; first mirror in Fabry-Perot Cavity
ITMX	Input Test Mass 'X' arm
ITMY	Input Test Mass 'Y' arm
IV&V	Integration, Verification, and Validation
IWG	Interface Working Group
IXS	Information eXchange Services
JFET	Junction Field-effect Transistor
JPL	Jet Propulsion Laboratory
KAGRA	Large-scale Cryogenic Graviationai wave Telescope Project (Japan)
KB	KiloByte
KM3NeT	Cubic Kilometre Neutrino Telescope
kpc	Kiloparsec
L1	Livingston 4km Interferometer
L4C	Sercel Seismometer Model L4C
LA	Louisiana
LAAAP	LIGO Astronomy and Astrophysics Advisory Panel
LAI	Lock Acquisition Interferometer
LAL	LIGO Algorithm Library
LAMT	Louisiana Association of Math Teachers
LAN	Local Area Network
LAS	Lock Acquisition System
LASTI	LIGO Advanced Systems Test Interferometer (test facility at LIGO/MIT)
LBA	Lanthanum-β-Aluminate (a form of sapphire)
LCGT	Large Cryogenic Gravitational-wave Telescope (planned Japanese GW detector)
LDAS	LIGO Data Analysis System
LDG	LIGO Data Grid
LDR	Laser Diode Room
LEA	Laser Enclosure Area
LExC	LIGO (LHO) Exploration Center - proposed science center at LHO
LG	
LG	Laguerre-Gauss (typically refers to a circularly symmetric basis)

Abbreviation / Acronym	Meaning / Explanation
LHAM	Horizontal Access Module at Louisiana Site
LHO	LIGO Hanford Observatory
LIGO	Laser Interferometer Gravitational Wave Observatory
LIGO-A	Study of implementation of an Advanced LIGO detector in Australia
LIGO-SEC	LIGO Science Education Center
LISA	Laser Interferometer Space Antenna
LLO	LIGO Livingston Observatory
LLOID	Low Latency Online Inspiral Detection
LMA	Laboratoire des Matériaux Avancés - vendor for optical coatings in Lyon, France
LMXB	Low-Mass X-Ray Binary
LOE	Level of Effort (costant effort with no deliverables, i.e. Project Management)
LOS	Large Optics Suspension
LOSC	LIGO Open Science Center
LOTO	Lock Out Tag Out
LSC	LIGO Scientific Collaboration; or, Length Sensing and Control subsystem
LSO	Laser Safety Officer
LSTA	Louisiana Science Teachers Association
LTI	Linear, Time-Invariant (systems) have a transfer function that relates input to output.
LTREX	Livingston Tube Recovery Experiment
LVAX	LLO - Kantech definition of VEA-X
LVAY	LLO - Kantech definition of VEA-Y
LVC	LIGO Scientific Collaboration -Virgo Collaboration joint activities
LVDT	Linear Variable Differential Transducer
LVEA	Laser and vacuum Equipment Area (at observatory corner stations) - This foom nouses PSL, BS, JTMY JTMY among other things: Large Vacuum Enclosure Area
LXI	LAN Extension for Instruments
LZH	Laser Zentrum Hannover, partner with AEI for aLIGO lasers
m/rtHz	meter per square root Hertz
M&O	Maintenance and Operations
M&O	Management & Operations
MAP	Memory Allocation Pointer (reflected memory)
MAST	Math and Science Teaching
MATLAB	mathematical programming language
MB	Megabyte
MC	Mode Cleaner Optic (iLIGO - usually MCx, where $x = \{1,2,3\}$) - Stabilizes mode of laser
MCL	Mode Cleaner Length (Servo control signal)
MCM	Mode Cleaner Mirror
MCWFS	Mode Cleaner Wave-Front Sensor
MD5	checksum to confirm digital data file integrity
MDC	Mock Data Challenge
mDV	MATLAB Data Viewer
MEDM	Motif Editor and Display Manager (GUI for control screens)
MEPI	Magnetic External Pre-Isolator
MESA	Mathematics, Engineering, Science Achievement

Abbreviation / Acronym	Meaning / Explanation
MFLOPS	Mega (Million) Floating Point Operations Per Second
MGASF	Monolithic Geometrical Anti-Spring Filter
MICH	Michelson cavity length = (lx - ly)
MIMO	Multiple Input, Multiple Output
MISE	Modeling Inquiry Science Education Project
MIT	Massachusetts Institute of Technology
MKI	MIT Kavli Institute of Astrophysics & Space Research
mm	millimeter
MMT	Mode Matching Telescope - A beam expander that sets the laser to a particular mode
МОРА	Master Oscillator-Power Amplifier low power 'seed' laser source
MOU	Memorandum of Understanding
MP	Mass Position
Мрс	Megaparsec
MPE	Maximum Permissible Exposure (Laser Radiation)
MPI	Message Passing Interface
MRE	Major Research Equipment
MREFC	Major Research Equipment and Facilities Construction (funding mechanism for aLIGO)
MSP	Math Science Partnership
MSPRC	Marginally Stable Power Recycling Cavity
MSR	Main Storage Room
MSU	Moscow State University
MTBF	Mean Time Between Failures
MTDC	Modified Total Direct Costs
MTOP	TransMon Top Mass Coil Driver
MTS	Master Timing System
MTTR	Mean Time To Repair
MTU	Master Timing Unit (see TMU)
MVSC	multi variate statistical classification
MZ	Mach-Zender Interferometer
M _⊙	Mass of the Sun
NA	Not Applicable; Not Available; Not Allowed
NAT	Network Address Translation
NB	Noise Budget
NBI	Neutron Star Binary Inspiral
Nd:YAG	Neodynium doped Yttrium Aluminum Garnet (laser gain medium)
NDS	Network Data Server
NDS2	Gen-2 Network Data Server-streaming server of LIGO data for near real time analysis
NDSG	NDS Gateway computer
NHZ	Nominal Hazard Zone (Laser Radiation)
NIC	Network Interface Card
NLNM	New Low Noise Model (Peterson, 1993)
NLT	Non-Linear Thermoelastic noise
nm	nanometer
111111	nanometei

Abbreviation / Acronym	Meaning / Explanation
NMR	Nuclear Magnetic Resonance
NN	Newtonian Noise
NPRO	Non-Planar Ring Oscillator
NRSB	Non-Resonant Side Band
NS	Neutron Star
NS-NS	Neutron Star - Neutron Star
NSBH	neutron-star-black-hole binaries
NSBP	National Society of Black Physicists
NSF	National Science Foundation
NSHP	National Society of Hispanic Phylisicists
NSPOB	Normalized Sideband Power On the Beam-Splitter
NSTA	National Science Teachers Association
NTP	Network Time Protocol
OAF	Online Adaptive Filtering
ODE	Ordinary Differential Equation
OFI	Output Faraday Isolator (aLIGO Auxiliary optics element)
OFIS	Output Faraday Isolator Suspension
OL	Optical Lever (also OptLev and OpLev)
OLMON	Out-of-Loop Monitor (monitor the intensity noise after the mode cleaner - PSL's ISS)
OMC	Output Mode Cleaner - Stabilizes mode in output laser
OOP	Object-Oriented Programming
OPA	Optical Parametric Amplifier
OPAMP	Operational Amplifier (from analog computer operations)
OPD	Optical Path Difference
OPL	Optical Path Length
OpLev	Optical Lever; sometimes OptLev (part of aLIGO AOS)
OPO	Optical Parametric Oscillator (for use of squeezed light)
OPOS	Optical Parametric Oscillator Suspension
Optickle	Frequency Domain IFO Simulator (Matlab)
ORACLE	Computer software used for data management at Caltech
OSA	Optical Spectrum Analyzer
OSB	Operations Support Building
OSEM	Optical Sensor Electromagnetic Motor (suspension sensor/actuator unit) (Optical Shadow Sensor and Magnetic Actuator)
OSG	Open Science Grid
OTAS	OMC Thermal Actuation System
OTF	Optics Test Facility at Caltech
ОТОР	OMC Top Mass Coil Driver
P3F	Payload Polar Positioning Fixture
PAC	Program Advisory Committee
PAP	Program Advisory Panel
РВ	PetaByte
РСВ	Printed Cirsuit Board

Abbreviation / Acronym	Meaning / Explanation
PCIX	Peripheral Component Interconnect Extended (a computer standard for peripheral communication)
PD	Photo Diode; Preliminary Design
PDD	Preliminary Design Document
PDE	Partial Differential Equation
PDH	Pound-Drever-Hall (reflection locking technique)
PDMWorks	Product Data Management Works (SolidWorks CAD file repository and version control system)
PDR	Preliminary Design Review
PDRR	Preliminary Design Requirements Review
PDT	Photo Detector
PEM	Physical and Environmental Monitor - includes weather stations, accelerometers, seismometers, microphones, temperature sensors
PEP	Project Execution Plan
PGA	Programmable Gate Array
PhCal	Photon Calibrator (part of aLIGO AOS)
PI	Parametric Instability
PIT	Pitch
PLC	Plano-Convex Lens
PLL	Phase Locked Loop
PLMP	Property Lifecycle Maintenance Plan
pm	picometer
PM	Phase Modulation; Project Management; Preventitive Maintenance
PMA	Physics, Math & Astronomy (academic division)
PMC	Pre-Mode Cleaner
PMP	Project Management Plan
PMX	Particle Mobility Experiment
PN	Post-Newtonian
PNRO	Pacific Northwest Regional Observatory
PO	Pick Off (usually in reference to a laser beam)
POB	Pick Off Beam <splitter></splitter>
POP	Pick Off Power (from Power Recycling Cavity)
POSIX	Portable Operating System Interface (IEEE Standard 1003.1)
POX	Pick Off X Arm (at ITMX)
PPE	Personal Protection Equipment
ppm	parts per million
PPS	Pulse Per Second - the timing heartbeat
PR	Power Recycling Optic (usually PRx, where x = {M,2,3})
PRC	Power Recycling Cavity
PRCL	Power Recycling Cavity Length = (lp + (lx + ly)/2)
PRM	Power Recycling Mirror - Recycles light within the interferometer; Power Recycled Michelson
PRN	Pseudo-Random Noise
PROM	Pockel's Readout Optical Modulator
PSL	Pre-Stabilized Laser (detector subsystem)
PTF	Palomar Transient Factory

Abbreviation / Acronym	Meaning / Explanation
PTX	Power Transmitted X-arm
PTY	Power Transmitted Y-arm
PUM	Pen-Ultimate (3 rd level on quad SUS rack) Plezoelectric Transducer - Controls the position of one mirror in the ONIC (works with HTK to obtain a
PZT	single mode)
Q	Resonant system Quality factor (inverse of loss)
QA	Quality Assurance
QE	Quantum Efficiency
QND	Quantum Non-Demolition
QPD	Quadrant Photo Diode - Reads transmission of end mirrors and transmission through ONIC (for
QPDX	Quadrant Photo Diode at the X-end station
QPDY	Quadrant Photo Diode at the Y-end station
QTOP	Quad Top Mass Coil Driver
Quad	Quadruple test mass suspension
R	Reflectivity
R&D	Research and Development
R&RA	Research and Related Activities
RAID	Removable Array of Independent Drives; Redundant Array of Inexpensive Disks
RAM	Random Access Memory
RBS	Reflective Beam Servo; Rutherford BackScatter
RC	Radius of Curvature (of a Reflective Mirror); Recycling Cavity
RCG	Realtime Code Generator
RDRR	A good guffaw
RDS	Reduced Data Sets
REFL	Reflected Light Port on ISCT1 (REFL1 = 61MHz; REFL2 = 24 MHz may be backwards)
REO	Research Electro-Optics (Company Name)
RET	Research Experience for Teachers
REU	Research Experience for Undergraduates
RF	Radio Frequency
RFM	Remote File Management
RFP	Request for Proposal
RFPD	RF Photodiode
RFQ	Request for Quote
RGA	Residual gas Analysis
RH	Relative Humidity
RIN	Relative Intensity Noise
RIPPLE	Research and Inquiry-based Physics Project with LIGO and the Exploratorium
RM	Recycling Mirror
RMS	Root mean square
ROC	Radius Of Curvature
RODA	Record Of Decision Agreement
RSB	Resonant Side Band
RSE	Resonant Sideband Extraction
RT	Real Time

Abbreviation / Acronym	Meaning / Explanation
rtHz	square root Hertz
S	Second
S-LED	Superluminescent Light Emitting Diodes
s/s	Samples/second
S5	LIGO's 5th Science Run
S6	LIGO's 6th Science Run
SACNAS	Society for the Advancement of Chicanos and Naïve American Scientists
SAH	Sensor Actuator Head
SAMS	Suspended Active Matching System
SAP	Sapphire Core Optics
SAS	Seismic Attenuation System
SBX	Sandbox
SCSI	Small Computer Standard Interface
SEI	Seismic Isolation
SEI-GDS	Seismic Isolation - Global Diagnostics System
SEM	Scanning Electron Microscopy
SGR	Soft Gamma Repeaters
SH-GRB	Short Hard Gamma Ray Bursts
SHG	Second Harmonic Generator (used in squeezing of laser light)
SIMMS	Secondary Ion Mass Spectrometry
SiO2	Silicon Dioxide, fused silica, fused quartz
SIOM	Shanghai Institute of Optical Materials
SIS	Static Interferometer Simulation (Software) or Seismic Isolation System (Hardware)
SLC	Stray Light Control
SLiC	Stray Light improved Control
SM	Suspended Steering Mirror (~4" diameter, simple sling suspension)
SMI	Simple Michelson Interferometer (aLIGO phase; beamsplitter and ITMs, with/without recycling)
SMO	Systems Mechanics & Optics
Sn	Science Run n (for example, S6 is Science Run 6)
SNL	State Notation Langage (EPICS)
SNR	Signal to Noise Ratio
sos	Small Optics Suspension - SOS is the support of steering mirrors in aLIGO
SPI	Suspension Point Interferometer; Seismic Platform Interferometer
SPOB	Sideband Pick Off Beam <splitter></splitter>
SPRC	Stable Power Recycling Cavity
SQL	Standard Quantum Limit
SR	Signal Recycled
sr	Steradian
SR2, SR3	Optical elements (mirrors), together with the SRM they form the SRC
SRC	Signal Recycling Cavity
SRCL	Signal Recycling Cavity Length = (ls + (lx + ly)/2)

Abbreviation / Acronym	Meaning / Explanation
SRD	Science Requirements Document; also iLIGO planned performance target
SRM	Signal Recycling Militor - makes resonant cavity for GW-induced sidebands to tune interferometer
SRS	Software Requirement Specification
SRx	Signal Recycling Optic designator (where $x = \{M,2,3\}$) (interferometer configuration)
SSO	Single Sign On
STAMP	Stochastic Transient Analysis Multi Detector Pipeline
STEM	Science, Technology, Enginieering & Mathematics
STFC	Science and Technology Facilities Council (UK funding agency)
StripTool	A strip chart graphs tool
STS	Streckeisen Tri-axial Seismometer (STS-1 leaf-spring, STS-2 inertial pendulum)
-	Seismic ground motion sensors manufactured by various vendors
STU SUBR	Slave Timing Unit (see TSU) Southern University of Baton Rouge
SUP	
SURF	Support Equipment
	Summer Undergraduate Research Foundation Suspension Subsystem (sometimes also Suspension assembly) which controls the position of the
SUS-AUX	suspended ontics (e.g. ETMs_MCs)
	Suspension Subsystem (sometimes also Suspension assembly) - Auxilliary Channels
SUS/UK	Suspension - UK
SUS/US	Suspension - US
SVD	Singular Value Decomposition
SW	Solid Works (computer aided design software)
SWE	Society of Women Engineers
SYS	System-wide Information; Detector Systems Engineering
Ta 2 O 5	Tantalum Pentoxide (the dielectric mirror material used for LIGO High Reflective coatings)
TACQ	Triple Acquisition Coil Driver
TAMA	Japanese Interferometric Gravitational-Wave Project (in the Tama region of Tokyo)
TAPIR	Theoretical AstroPhysics Including Relativity
TAR	Travel Authorization Request
TB	Terabytes
TBD	To Be Determined; To Be Done
TC	Tri-Cities area (Washington State)
TCAC	TriCity Astonomy Club
TCP	Transport Control Protocol
TCS	Thermal Compensation System
TDF	Technology Development Facility
TDS	Time Server Acronym? (Tedious)
TEM	Transverse Electromagnetic Mode (frequency); Transimission Electron Microscopy
TEM00	The lowest order Transverse Electromagnetic ividue possible that exhibits a Gaussian distribution of
TFP	Thin Film Polarizer (optical hardware)
TGG	Terbium-Gallium-Garnet (optical material used in Faraday Isolators)
TIR	Total Internal Reflection
ТМ	Test Mass (as in input test mass or end test mass)
TMS	Transmission Monitor Suspension (to relay light in/out of ETMs; part of aLIGO AOS)
11010	Transmission Monitor Suspension (to relay light involutor Ethis, part of action AOS)

Abbreviation / Acronym	Meaning / Explanation
TMU	Timing Master Unit (see MTU)
TNI	Thermal Noise Interferometer (R&D Test interferometer at LIGO-Caltech)
TOF/SIMMS	Time-of-Flight Secondary Ion Mass Spectrometry
TOP	Top (upper assembly of SUS structure)
TP	Test Point
TPM	Test Point Manager
TPMAN	Test Point Manager
TPT	Technology Planning Team
TRB	Technical Review Board
Trillium, Guralp, STS2	Seismic ground motion sensors manufactured by various vendors
Triple	Triple auxiliary optic suspension
TSU	Timing Slave Unit (see STU)
TT	Tip-Tilt (mirror) - Steering mirrors prior to OMC (2 total)
TTFSS	Table Top Frequency Stabilization Servo
TTL	Transistor–Transistor Logic
TTOP	Triple Top Mass Coil Driver
TwinCAT	The Windows Control and Automation Technology
UDP	User Datagram Protocol
UF	University of Florida
UGF	Unity Gain Frequency
UHV	Ultra High Vacuum
UIM	Upper Intermediate (2 nd level stage on quad SUS rack)
UL	Upper Limits, Underwriters Laboratory
ULPA	Ultra Low Particulate Air (cleanroom vacuum cleaner)
UNC	Unified Coarse (Screw Thread Standard)
UNEF	Unified Extra Fine (Screw Thread Standard)
UNF	Unified Fine (Screw Thread Standard)
UTC	Coordinated Universal Time
UUG	Universal Unity Gain?
V	Vertical
VCO	Voltage Controlled Oscillator
VCSEL	Vertical-Cavity Surface-Emitting Laser
VE	Vacuum Equipment (LIGO instrument chambers)
VEA	Vacuum Equipment Area (at observatory mid and end stations) Houses ETMX and ETMY (LLO Kantoch calls this LVA) French calls this LVA) French calls this LVA)
VIRGO	now with broader participation in Europe
VME	Versa Modular Eurocard (IEEE 1014)
VMS	Violin Mode Sensor (element of aLIGO quad test mass suspension)
VMware	Virtual Machine software
VNT	eLIGO Vent Plan
VOE	Virtual Observatory Event
VORTEX	Vapor Outgassing and Re-Exposure Test Experiment
VP	View Port (vacuum chamber viewing windows)

LIGO Abbreviations and Acronyms

Abbreviation / Acronym	Meaning / Explanation
VPN	Virtual Private Network
VPW	Vacuum Preparation Warehouse
VRB	Vacuum Review Board
VRB	Vacuum Review Board
VSR3	Virgo's Science Run 3
VSRM	Variable Signal Recycling Mirror
W	Watt
w	Gaussian beam radius parameter
WA	Washington
WAN	Wide Area Network
WBS	Work Breakdown Structure
WD	WatchDogs, software and hardware
WFS	Wave Front Sensors
WMAP	Wilkinson Microwave Anisotropy Probe
WSU TC	Washington State University TriCities
XAS	X-ray Absorphtion Spectroscopy
XLR	Cannon "X" series, Latched, Rubberized connectors
YV	Yakima Valley