


INTRALINK NAME: D060354

REV.	DATE	DCN #	DRAWING TREE #
А	15/OCT/06	E060240	
В	20/DEC/07	E060240-B	·







NOTES: (UNLESS OTHERW	NOTES: (UNLESS OTHERWISE SPECIFIED)			
I. REMOVE ALL SHARP EDGES, R.O2 MIN. 2 DO NOT SCALE FROM DRAWING	DIMENSIONS ARE IN mm [INCHES] TOLERANCES:	MASSACHUSETTS INSTITUTE OF TECHNOLOGY IGR, GLASGOW UNIVERSITY GEO 600 GROUP RUTHERFORD APPLETON LABORATORIES		
3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF	 X.XX ±0.2 mm ANGULAR ±0.25 °	SYSTEM aLIGO		
SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S		SUB-SYSTEM SUS		
CIMTECH 410 (STAINLESS STEEL) 4. SCRIBE, ENGRAVE OR STAMP DRAWING	MATERIAL: PH BRONZE	NEXT ASSY PENRE ETM QUAD		
PARTNUMBER ON NOTED SURFACE OF PART AND A THREE DIGIT SERIAL	FINISH: CLEAN GREASE FREE √μm [μin] Rα = 1.6	PART NAME CLAMPING COLLAR		
NUMBER. SERIAL NUMBERS START AT OOI FOR THE FIRST PART AND	NAME DATE	(PITCH MASS)		
PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS.	DRAWN J O'DELL 04/JAN/06 CHECKED MB I5/MAR/IC	DRG NO		
EXAMPLE: D020188- 001. A VIBRATORY	APPROVED JOD 15/MAR/10	→ /\ \ \ \ \ \ \ \ \ \ \ \ 		
TOOL MAY BE USED.		SCALE : PROJECTION: SHEET OF		