INTRALINK NAME: D060405

REV.	DATE	DCN #	DRAWING TREE #
A	9/OCT/06	E060248	.



3D VIEW





1 - 8 UNC THREAD 1A

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. REMOVE ALL SHARP EDGES, R.02 MIN.
2. DO NOT SCALE FROM DRAWING.
3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410 (STAINLESS STEEL)
4. SCRIBE, ENGRAVE OR STAMP DRAWING PARTNUMBER ON NOTED SURFACE OF PART AND A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST PART AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: D020188- 001. A VIBRATORY TOOL MAY BE USED.

DIMENSIONS ARE IN mm [INCHES]
TOLERANCES:

X.XX ±0.2 mm
ANGULAR ±0.25 °

MATERIAL: ST. STEEL 303/304

FINISH: CLEAN, GREASE FREE
√µm [µin] Ra = 1.6

	NAME	DATE
DRAWN	J O'DELL	19/Oct/06
CHECKED	IW	07/DEC/05
APPROVED	IW	08/DEC/05

CALIFORNIA INSTITUTE OF TECHNOLOGY
MASSACHUSETTS INSTITUTE OF TECHNOLOGY
IGR, GLASGOW UNIVERSITY GEO 600 GROUP
RUTHERFORD APPLETON LABORATORIES

SYSTEM **ADVANCED LIGO**

SUB-SYSTEM **SUS**

NEXT ASSY **TOP MASS QUAD N-PTYPE**

PART NAME **PITCH ADJUSTER**

.

SIZE **A** DRG. NO. **D060405** REV **F.**

SCALE 1:1 PROJECTION: SHEET 1 OF 1