



NOTES CONTINUED:
 ⑤ SCRIBE, ENGRAVE, OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER, REVISION (AND VARIANT OR "TYPE" IF APPLICABLE) ON NOTED SURFACE OF PART FOLLOWED ON THE NEXT LINE WITH A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE MINIMUM 0.12" HIGH CHARACTERS, UNLESS THE SIZE OF THE PART DICTATES SMALLER CHARACTERS. A VIBRATORY TOOL MAY BE USED.
 EXAMPLE: DXXXXXX-VY, TYPE-XX, S/N XXX

REV.	DATE	DCN #	DRAWING TREE #
V1	30JUN 2010		



D1001667 LSAT LIFTING SECTION, SHORT, aLIGO, SUS, PART PDM REV: , DRAWING PDM REV:

NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)				LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY		PART NAME	
DIMENSIONS ARE IN MILLIMETERS				ADVANCED LIGO		LSAT LIFTING SECTION, SHORT	
TOLERANCES: .X ± .25 .XX ± .13				SUB-SYSTEM SUS		DESIGNER K. BUCKLAND	30 JUN 2010
ANGULAR ± °				NEXT ASSY D1001221		DRAFTER K. BUCKLAND	30 JUN 2010
MATERIAL 6061-T6 Al		FINISH 32 μinch		CHECKER		SIZE DWG. NO. B	D1001667
				APPROVAL		SCALE: 1:2	PROJECTION: SHEET 1 OF 1