




NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
 2. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



RF Laser mount
 2024-T3 or 6061-T6 AL
 Anodize Type II, Class II, Black
 LHO D.Cook
 372-8107



Press fit pin into
 body .0002-.0005
 interference
 or setscrew



PRELIMINARY

5	-	-	-	-	-
4	-	-	-	-	-
3	-	-	-	-	-
2	-	-	-	-	-
1	-	-	-	-	-

REFERENCE DRAWINGS		USED ON: XXX		NEXT ASS'Y: XXX		ISSUE DESCRIPTION		SCALE		NTS		SHEET	
XXX	XXX	MATERIAL: 6061-T6 AL	HEAT TREAT:	FINISH: Anodize Type II, Class II, Black	PRE-RELEASE	-	-	-	-	D.Cook	01-01-02	CAD FILE	D020184
DWG. NO.	DESCRIPTION	TOLERANCES: FRACTIONAL ± 1/16 ANGULAR ± .5° ANGULAR MACH ± BEND ± TWO PLACE DECIMAL ± .010		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES THREE PLACE DECIMAL ± .005 FINISHED SURFACE RMS 32 BREAK CORNERS IN: OUT: .015 REMOVE ALL BURRS		REV	DESCRIPTION	DCN NUMBER	APPR'D	CHECK	DRWN	DATE	SIZE DWG. NO. D D020184
												1 OF 1	

LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY
 MASSACHUSETTS INSTITUTE OF TECHNOLOGY

RF Laser Mount

SCALE: NTS SHEET: 1 OF 1