

DUCT SILENCER SCHEDULE

UNIT NO	LOCATION	SERVICE		CFM	DIMENSIONS W X D X L	PD IN. WC	MANUFACTURER/ MODEL NO	REMARKS
		BUILDING	ROOM					
W-CS-107-ST-10	MECH ROOM 107	OSB	OSB COLD AIR DECK	24,000	60 X 48 X 84	0.25	INDUSTRIAL ACOUSTICS CO MS	
W-CS-107-ST-11	MECH ROOM 107	OSB	OSB WARM AIR DECK	24,000	60 X 48 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-CS-107-ST-12	MECH ROOM 107	OSB	OSB RETURN AIR	24,000	60 X 60 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-CS-160-ST-13	MECH ROOM 160	OFFICES	SUPPLY AIR	9,700	42 X 18 X 60	0.40	INDUSTRIAL ACOUSTICS CO MS	
W-CS-160-ST-14	MECH ROOM 160	OFFICES	RETURN AIR	9,000	42 X 18 X 60	0.36	INDUSTRIAL ACOUSTICS CO MS	
W-CS-107-ST-17	MECH ROOM 107	OSB	OUTSIDE AIR	650	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-CS-107-ST-18	MECH ROOM 107	OSB	OUTSIDE AIR	650	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-CS-107-ST-19	ROOM 149	OFFICES	TOILET EXHAUST	950	14"Ø X 36	0.05	INDUSTRIAL ACOUSTICS CO FCL	
W-CS-107-ST-20	ROOM 149	OFFICES	TOILET EXHAUST	950	14"Ø X 36	0.05	INDUSTRIAL ACOUSTICS CO FCL	
W-CS-107-ST-21	ROOM 137	OFFICES	TOILET EXHAUST	200	12"Ø X 36	0.02	INDUSTRIAL ACOUSTICS CO FCL	
W-CS-107-ST-22	ROOM 137	OFFICES	TOILET EXHAUST	200	12"Ø X 36	0.02	INDUSTRIAL ACOUSTICS CO FCL	
W-CS-107-ST-23	ROOM 169	OSB	EF-04 (FUME HOOD)	800	20 X 20 X 36	0.05	INDUSTRIAL ACOUSTICS CO TKS/TXL	304 S/S PACKLESS CONSTRUCTION, 12"Ø
W-CS-107-ST-24	ROOM 169	OSB	EF-04 (FUME HOOD)	800	20 X 20 X 36	0.05	INDUSTRIAL ACOUSTICS CO TKS/TXL	304 S/S PACKLESS CONSTRUCTION, 12"Ø
W-CS-107-ST-25	ROOM 168	OSB	EF-03 (FUME HOOD)	800	20 X 20 X 36	0.05	INDUSTRIAL ACOUSTICS CO TKS/TXL	304 S/S PACKLESS CONSTRUCTION, 12"Ø
W-CS-107-ST-26	ROOM 168	OSB	EF-03 (FUME HOOD)	800	20 X 20 X 36	0.05	INDUSTRIAL ACOUSTICS CO TKS/TXL	304 S/S PACKLESS CONSTRUCTION, 12"Ø
W-MA-203-ST-01	MECH ROOM 203	MIDSTATION - A	EXPERIMENT EG.	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-02	MECH ROOM 203	MIDSTATION - A	CLEANING AREA	840	12 X 24 X 84	0.07	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-03	MECH ROOM 203	MIDSTATION - A	VEA	8,400	30 X 36 X 84	0.20	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-04	MECH ROOM 203	MIDSTATION - A	INSPECTION	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-05	MECH ROOM 203	MIDSTATION - A	MECH.RM	2,200	18 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-06	MECH ROOM 203	MIDSTATION - A	RETURN	8,400	36 X 36 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-07	MECH ROOM 203	MIDSTATION - A	RETURN	4,200	24 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-08	MECH ROOM 203	MIDSTATION - A	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-09	MECH ROOM 203	MIDSTATION - A	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-10	MECH ROOM 203	MIDSTATION - A	VE	1680	12 X 24 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-01	MECH ROOM 203	MIDSTATION - B	EXPERIMENT EG.	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-02	MECH ROOM 203	MIDSTATION - B	CLEANING AREA	840	12 X 24 X 84	0.07	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-03	MECH ROOM 203	MIDSTATION - B	VEA	8,400	30 X 36 X 84	0.20	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-04	MECH ROOM 203	MIDSTATION - B	INSPECTION	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-05	MECH ROOM 203	MIDSTATION - B	MECH.RM	2,200	18 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-06	MECH ROOM 203	MIDSTATION - B	RETURN	8,400	36 X 36 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-07	MECH ROOM 203	MIDSTATION - B	RETURN	4,200	24 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-08	MECH ROOM 203	MIDSTATION - B	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MB-203-ST-09	MECH ROOM 203	MIDSTATION - B	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-MA-203-ST-10	MECH ROOM 203	MIDSTATION - B	VE	1680	12 X 24 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-01	MECH ROOM 203	ENDSTATION - A	EXPERIMENT EG.	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-02	MECH ROOM 203	ENDSTATION - A	CLEANING AREA	840	12 X 24 X 84	0.07	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-03	MECH ROOM 203	ENDSTATION - A	VEA	8,400	30 X 36 X 84	0.20	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-04	MECH ROOM 203	ENDSTATION - A	INSPECTION	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-05	MECH ROOM 203	ENDSTATION - A	MECH.RM	2,200	18 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-06	MECH ROOM 203	ENDSTATION - A	RETURN	8,400	36 X 36 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-07	MECH ROOM 203	ENDSTATION - A	RETURN	4,200	24 X 24 X 84	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-08	MECH ROOM 203	ENDSTATION - A	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-09	MECH ROOM 203	ENDSTATION - A	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EA-203-ST-10	MECH ROOM 203	ENDSTATION - A	VE	1680	12 X 24 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-01	MECH ROOM 203	ENDSTATION - B	EXPERIMENT EG.	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-02	MECH ROOM 203	ENDSTATION - B	CLEANING AREA	840	12 X 24 X 84	0.07	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-03	MECH ROOM 203	ENDSTATION - B	VEA	8,400	30 X 36 X 84	0.20	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-04	MECH ROOM 203	ENDSTATION - B	INSPECTION	560	12 X 24 X 84	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-05	MECH ROOM 203	ENDSTATION - B	MECH.RM	2,200	18 X 24 X 60	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-06	MECH ROOM 203	ENDSTATION - B	RETURN	8,400	36 X 36 X 84	0.15	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-07	MECH ROOM 203	ENDSTATION - B	RETURN	4,200	24 X 24 X 84	0.12	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-08	MECH ROOM 203	ENDSTATION - B	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-09	MECH ROOM 203	ENDSTATION - B	OUTSIDE AIR	400	18 X 12 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	
W-EB-203-ST-10	MECH ROOM 203	ENDSTATION - B	VE	1680	12 X 24 X 60	0.05	INDUSTRIAL ACOUSTICS CO MS	

VIBRATION ISOLATOR SCHEDULE

UNIT NO	NAME	LOCATION	(2) ISOLATOR TYPE	(3) SPRING DEFLECTION (INCH)	(2) FRAME TYPE	(2) SEISMIC RESTRAINT	REMARKS
W-CS-107-SF-05,06	VANE AXIAL FAN	CORNER STATION	B	1.0	G	SL	(TYP 2) FANS
W-MA-203-SF-01,02	VANE AXIAL FAN	MID STATION-A	B	1.0	G	SL	(TYP 2) FANS
W-MB-203-SF-01,02	VANE AXIAL FAN	MID STATION-B	B	1.0	G	SL	(TYP 2) FANS
W-EA-203-SF-01,02	VANE AXIAL FAN	END STATION-A	B	1.0	G	SL	(TYP 2) FANS
W-EB-203-SF-01,02	VANE AXIAL FAN	END STATION-B	B	1.0	G	SL	(TYP 2) FANS
W-MA-200-CH-01,02	AIR-COOLED WATER CHILLER	MID STATION-A	C	1.0	-	(1)	(TYP 2) CHILLERS
W-MB-200-CH-01,02	AIR-COOLED WATER CHILLER	MID STATION-B	C	1.0	-	(1)	(TYP 2) CHILLERS
W-EA-200-CH-01,02	AIR-COOLED WATER CHILLER	END STATION-A	C	1.0	-	(1)	(TYP 2) CHILLERS
W-EB-200-CH-01,02	AIR-COOLED WATER CHILLER	END STATION-B	C	1.0	-	(1)	(TYP 2) CHILLERS
W-MA-200-WP-01,02	CHILLED WATER PUMP	MID STATION-A	C	1.0	G	SL	(TYP 2) PUMPS
W-MB-200-WP-01,02	CHILLED WATER PUMP	MID STATION-B	C	1.0	G	SL	(TYP 2) PUMPS
W-EA-200-WP-01,02	CHILLED WATER PUMP	END STATION-A	C	1.0	G	SL	(TYP 2) PUMPS
W-EB-200-WP-01,02	CHILLED WATER PUMP	END STATION-B	C	1.0	G	SL	(TYP 2) PUMPS
W-MA-203-AC-01,02	AIR COMPRESSOR	MID STATION-A	C	1.0	G	SL	(TYP 2) COMPRESSORS
W-MB-203-AC-01,02	AIR COMPRESSOR	MID STATION-B	C	1.0	G	SL	(TYP 2) COMPRESSORS
W-EA-203-AC-01,02	AIR COMPRESSOR	END STATION-A	C	1.0	G	SL	(TYP 2) COMPRESSORS
W-EB-203-AC-01,02	AIR COMPRESSOR	END STATION-B	C	1.0	G	SL	(TYP 2) COMPRESSORS
W-CS-160-AH-04	PACKAGED AIR HANDLER	CORNER STATION	B	1.0	G	SL	
W-CS-149-EF-01	IN-LINE EXHAUST FAN	CORNER STATION	D	1.0	-	SC	
W-CS-137-EF-02	IN-LINE EXHAUST FAN	CORNER STATION	D	1.0	-	SC	
W-CS-168-EF-03	IN-LINE EXHAUST FAN	CORNER STATION	D	1.0	-	SC	
W-CS-169-EF-04	IN-LINE EXHAUST FAN	CORNER STATION	D	1.0	-	SC	
W-MA-208-EF-01	IN-LINE EXHAUST FAN	MID STATION-A	D	1.0	-	SC	
W-MB-208-EF-01	IN-LINE EXHAUST FAN	MID STATION-B	D	1.0	-	SC	
W-EA-208-EF-01	IN-LINE EXHAUST FAN	END STATION-A	D	1.0	-	SC	
W-EB-208-EF-01	IN-LINE EXHAUST FAN	END STATION-B	D	1.0	-	SC	
W-MA-203-GP-01	GLYCOL FEED PUMP	MID STATION-A	C	1.0	G	SL	
W-MB-203-GP-01	GLYCOL FEED PUMP	MID STATION-B	C	1.0	G	SL	
W-EA-203-GP-01	GLYCOL FEED PUMP	END STATION-A	C	1.0	G	SL	
W-EB-203-GP-01	GLYCOL FEED PUMP	END STATION-B	C	1.0	G	SL	
W-CS-195-FP-01	FIRE PUMP	CORNER STATION	C	1.0	G	SL	
W-CS-195-FP-02	FIRE PUMP	CORNER STATION	C	1.0	G	SL	
W-CS-195-JP-03	JOCKY PUMP	CORNER STATION	C	1.0	G	SL	
W-CS-196-DP-04	DOMESTIC WATER PUMP	CORNER STATION	C	1.0	G	SL	
W-CS-196-DP-05	DOMESTIC WATER PUMP	CORNER STATION	C	1.0	G	SL	
W-CS-196-AH-05	PACKAGED AIR HANDLER	CORNER STATION	D	1.0	-	SC	

(1) ISOLATOR HOUSING INCLUDES SEISMIC RESTRAINTS
 (2) SEE SPECIFICATIONS FOR CODE LETTER
 (3) STATIC DEFLECTION 3 HZ

NOTES:

1. FOR LEGEND, ABBREVIATIONS AND GENERAL NOTES SEE SHEETS WA-H-001 AND WA-H-002.

This document and the design it covers are the property of PARSONS. They are loaned only with the borrower's expressed written agreement that they will not be reproduced, copied, loaned, exhibited, or used in any other way, except by written consent from PARSONS to the borrower.


This document and the design it covers are the property of PARSONS. They are loaned only with the borrower's expressed written agreement that they will not be reproduced, copied, loaned, exhibited, or used in any other way, except by written consent from PARSONS to the borrower.

LIGO-D960348-01-O

ISSUED FOR CONSTRUCTION	CLP	6-24-96
DRAWN		
CHECKED		
ENGINEER		
PROJ		
AS-BUILT DRAWINGS		
ISSUED FOR AS-BUILT		
NO.	DATE	BY
1	5-15-98	CP



100 WEST WALNUT STREET
PASADENA, CALIFORNIA



CALIFORNIA INSTITUTE OF TECHNOLOGY
MASSACHUSETTS INSTITUTE OF TECHNOLOGY

LASER INTERFEROMETER
GRAVITATIONAL-WAVE OBSERVATORY
SITE NO. 1 - HANFORD, WASHINGTON

TITLE	HVAC EQUIPMENT SCHEDULES SHEET 4	SCALE	NONE	DRAWING NUMBER	PP150969	PROJECT NUMBER	8094
SHEET NUMBER	WA-H-006	REVISIONS					