

Stochastic Gravitational-Wave Searches with Interferometers and Bars

John T. Whelan

Loyola University New Orleans

jtwhelan@loyno.edu

Seminar Presented at the
Albert-Einstein-Institut
(Max-Planck-Institut für Gravitationsphysik)

2004 July 8

LIGO-G040445-00-Z

Outline

I Review Of Stochastic Background Searches

- Optimally-Filtered Cross-Correlation
- Overlap Reduction Function
- Notable Cross-Correlation Experiments

II LLO-ALLEGRO Cross-Correlations

- Overlap Modulation by Rotation of Bar
- Handling Different Sampling Rates & Heterodyning
- Working with Calibrated Data



Cartoon courtesy of E. Coccia, NAUTILUS Group (Rome)

Stochastic Background

Backgrounds in 10–1000 Hz frequency band likely extragalactic in origin, thus isotropic, unpolarized, gaussian, & stationary.

Describe i.t.o. GW contribution to $\Omega = \frac{\rho}{\rho_{\text{crit}}}$:

$$\Omega_{\text{GW}}(f) = \frac{1}{\rho_{\text{crit}}} \frac{d\rho_{\text{GW}}}{d \ln f} = \frac{f}{\rho_{\text{crit}}} \frac{d\rho_{\text{GW}}}{df}$$

Note $\rho_{\text{crit}} \propto H_0^2$, so $h_{100}^2 \Omega_{\text{GW}}(f)$ is independent of

$$h_{100} = \frac{H_0}{100 \text{ km/s/Mpc}}$$

How to Tell Stochastic Signal from Random Noise

- Need **correlations** among detectors

– Detector 1: $s_1 = h_1 + n_1$, Detector 2: $s_2 = h_2 + n_2$

- Assume noise uncorrelated **with signal** & **between detectors**

- Cross-correlation:

$$\langle s_1 s_2 \rangle = \langle n_1 n_2 \rangle + \langle n_1 h_2 \rangle + \langle h_1 n_2 \rangle + \langle h_1 h_2 \rangle$$

only surviving term is from **stochastic GW** signal

Sensitivity to Stochastic GW Backgrounds

- Optimally filtered CC statistic

$$Y = \int df \tilde{h}_1^*(f) \tilde{Q}(f) \tilde{h}_2(f)$$

- Optimal filter $\tilde{Q}(f) \propto \frac{f^{-3} \Omega_{\text{GW}}(f) \gamma_{12}(f)}{P_1(f) P_2(f)}$
(Initial analyses assume $\Omega_{\text{GW}}(f)$ constant across band)
- Optimally filtered cross-correlation method sensitive to


$$\Omega_{\text{GW}} \propto \left(T \int \frac{df}{f^6} \frac{\gamma_{12}^2(f)}{P_1(f) P_2(f)} \right)^{-1/2}$$

- Significant contributions when
 - detector noise power spectra $P_1(f)$, $P_2(f)$ small
 - overlap reduction function $\gamma_{12}(f)$ (geom correction) near ± 1

Overlap Reduction Function


$$\gamma(f) = d_{1ab} d_2^{cd} \frac{5}{4\pi} \iint_{S^2} d^2\Omega P_{cd}^{TTab}(\hat{\Omega}) e^{i2\pi f \hat{\Omega} \cdot \Delta \vec{x} / c}$$

Depends on **alignment** of detectors (polarization sensitivity)
Frequency dependence from cancellations when $\lambda \lesssim$ distance
→ Widely **separated** detectors **less** sensitive at **high** frequencies



(figure from [Allen & Romano PRD, gr-qc/9710117](#))

Overlap Reduction Function



Upper Limits

- Correlation between **EXPLORER** & **NAUTILUS** bars (Astone et al, 1999):
 $h_{100}^2 \Omega_{\text{GW}}(907 \text{ Hz}) \leq 60$
- Correlation between LIGO Hanford & Livingston S1 data (LSC, Abbott et al, 2004):
 $h_{100}^2 \Omega_{\text{GW}}(f) \leq 23$
- Correlation between LIGO Hanford & Livingston S2/S3 Science Data Ongoing
See GR17 talk by Regimbau
- Correlations between LIGO Livingston & ALLEGRO data
Methods: this talk
Status: see McHugh GR17 talk

LLO-ALLEGRO Correlations

- Only ~ 40 km apart $\rightarrow \gamma(900 \text{ Hz}) \approx 95\%$ for best alignment
- Sensitive in different freq band from LLO/LHO pair
- New experimental technique: rotate ALLEGRO to calibrate cross-correlated noise (Finn & Lazzarini)
 - Aligned & Anti-aligned orientations have opposite GW sign
 \rightarrow can “cancel” out CC noise by subtracting results
 - Null orientation has no expected GW signal
 \rightarrow “off-source” measurement of CC noise
- Currently analyzing S2 (2003 Feb 14-Apr 14) data; ALLEGRO was offline for S3 (2003 Oct 31-2004 Jan 9), now running again; Further work planned for S4 & beyond

LLO-ALLEGRO: Technical Considerations

- **ALLEGRO** data heterodyned at 899 Hz & sampled at 250 Hz
LIGO data digitally downsampled 16384 Hz → 2048 Hz
Time domain resampling undesirable: $2^{10}/5^3$ sampling ratio
→ work in freq domain w/overlapping frequencies
- Uncalibrated **ALLEGRO** data have sharper spectral features
→ Work with calibrated het strain " $h(t)$ " for **ALLEGRO**
- Calibrating ALLEGRO data is major undertaking
(McHugh + Johnson & LSU)
(Coherent analysis requires more precise calibration than before)
See McHugh GR17 talk for more details

Crash Course on Heterodyning (base-banding)

Think in terms of continuous Fourier transform

$$\tilde{G}(f) = \int_{-\infty}^{\infty} dt e^{-i2\pi f(t-t_0)} G(t)$$

Analogue heterodyne: multiply by exp oscillating @ base freq f_b :
 $G_h(t) = e^{-i2\pi f_b(t-t_0)} G(t)$ so that Fourier transform is

$$\tilde{G}_h(f) = \tilde{G}(f_b + f)$$

Low-pass anti-aliasing filter on G_h is then band-pass filter on G ;

$$\tilde{g}_h(f) = \begin{cases} \tilde{G}_h(f) & |f| \leq \frac{1}{2\delta t} \\ 0 & |f| > \frac{1}{2\delta t} \end{cases}$$

$g_h(t)$ then sampled @ $\frac{1}{\delta t}$ so $f_{Ny} = \frac{1}{2\delta t}$; range of phys freqs

$$f_b - f_{Ny} \leq f_{phys} \leq f_b + f_{Ny}$$

Working in Frequency Domain

- LLO & ALLEGRO data are FFTed to produce freq series (normalized to approximate CFT)

$$\tilde{s}^L[f] : 0 \leq f \leq f_{Ny}^L$$

$$\tilde{s}_h^A[f] : -f_{Ny}^A \leq f < f_{Ny}^A$$

If duration is T , zero-padded to $2T$, each has freq res $\delta f = \frac{1}{2T}$


- Optimal filter created in freq domain w/same freq res

$$\tilde{Q}[f] : f_{\min} \leq f \leq f_{\max}$$

- Cross-correlation statistic is

$$Y = \sum_{f=f_{\min}}^{f_{\max}} \delta f (\tilde{s}^L[f])^* \tilde{Q}[f] \tilde{s}_H^A[f - f_b]$$

So long as $[f_{\min}, f_{\max}]$ a subset of LLO & ALLEGRO freq ranges & $\frac{f_b}{\delta f} \in \mathbb{Z}$, freq bins “line up”



Example of Frequency Domain Method

- Assume $T = 50$ sec;
after zero-padding $\delta f = .01$ Hz for both ALLEGRO & LLO
- FFT real LLO data, sampled at 2048 Hz
102401 bins: DC to 1024 Hz (Nyquist)
- FFT cmplx heterodyned ALLEGRO data, sampled at 250 Hz
25000 bins:
774 Hz ($f_b - f_{Ny}^A$) to 1023.99 Hz ($f_b + f_{Ny}^A - \delta f$)
- Correlate only the bins from (say) 850 Hz to 950 Hz
ALLEGRO & LLO bins “line up”

LLO-ALLEGRO: Summary

- Probes higher frequency band $\sim 850 - 950$ Hz
- Rotate ALLEGRO to modulate stochastic response
(data taken in 3 orientations during S2)
- Freq-domain method seems to solve sampling rate problems
∃ more careful analytic demonstration
- Analyzing S2 data; next coincident run is S4
- Status report from Martin McHugh at GR17

References

1. M. Maggiore, Phys Rept: [gr-qc/9909001](#);
ICTP lecture: [gr-qc/0008027](#)
2. JTW et al, 2001 Amaldi proc (CQG): [gr-qc/0110019](#)
3. B. Allen, Les Houches lecture: [gr-qc/9604033](#)
4. B. Allen & J. D. Romano, PRD: [gr-qc/9710117](#)
5. P. Astone et al, A&A **351**, 811 (1999)
6. P. Astone et al, PLB **385**, 421 (1996)
7. LIGO S1 Paper: B. Abbott et al, PRD: [gr-qc/0312088](#)
8. Finn & Lazzarini, PRD: [gr-qc/0104040](#);
Poster: LIGO graphical presentation [LIGO-G010246-00-E](#)
9. LSC Stochastic BG Page: <http://www.ligo.org/sgwb/>
10. JTW GWDAW talk: [LIGO-G030692-00-Z](#)