**Subject:** Re: Viton waiver request

From: Dennis Coyne <coyne@ligo.caltech.edu>

Date: 9/3/2012 9:11 PM

**To:** Peter Fritschel <pf@ligo.mit.edu>

**CC:** Calum Torrie <ctorrie@ligo.caltech.edu>, Bram Slagmolen

<bram.slagmolen@anu.edu.au>, Suresh Doravari <doravari@caltech.edu>

Waiver granted.

Dennis Coyne
Chief Engineer, Advanced LIGO & LIGO Laboratory
California Institute of Technology
MC 100-36, 1200 E. California Blvd.
Pasadena, CA 91125 USA
Telephone 626.395.2034

On 9/3/2012 6:22 AM, Peter Fritschel wrote:

Dennis, Calum,

Each Tip-Tilt Mirror Mount contains two 3/8" diameter viton o-rings for passive damping of the

blade springs. Bram had some time ago procured these o-rings from smallparts.com.au, who source

them from Seagull Industries. They have been C&B'd (not sure where), and are at LHO ready to be

assembled into mounts. However, it was recently realized that the o-rings did not come with a

materials certification, according to our requirements for viton use in vacuum. I am wondering

if this requirement can be waived in this case, given the small quantity of viton involved.

The reason I'm bringing this up now is that Suresh has a trip scheduled to go to LHO from 5-14 September

to finish assembling the Tip-Tilt Mounts. He didn't know about this issue with the o-rings when he

made those plans. Bram and Suresh have looked into getting new o-rings with mat'l certs, and

getting these C&B'd at Caltech and sent to LHO in time. Perhaps it can be done (actually, at this

point I don't think Bram has found anyone who can supply them from stock w/ the certs), but the timing

seems very dicey to me, and is it worth going through this effort for such a small amount of viton?

(at most there are 3 TT mounts in HAM6, so 6 o-rings)

I attach the Bram's original o-ring order for info.

1 of 2 3/4/2015 5:01 PM

Re: Viton waiver request

Peter

2 of 2 3/4/2015 5:01 PM