


4

3


2

1


REV.	DATE	DCN #	DRAWING TREE #




V1 SCREW





V2 360° SPRING



V2.5 315° SPRING



V3 WIRE



NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)

DIMENSIONS ARE IN

TOLERANCES:

.XX ±

.XXX ±

ANGULAR ± °

1. INTERPRET DRAWING PER ASME Y14.5-1994.
2. REMOVE ALL SHARP EDGES .005-.015. FOR MACHINED PARTS. ROUND ALL EDGES APPROXIMATELY R.02 FOR SHEET METAL PARTS.
3. DO NOT SCALE FROM DRAWING.
4. ALL MACHINING FLUIDS MUST BE FULLY SYNTHETIC, FULLY WATER SOLUBLE AND FREE OF SULFUR, SILICONE, AND CHLORINE.

MATERIAL

N/A

FINISH

N/A μinch



SYSTEM ADVANCED LIGO

SUB-SYSTEM SUS

NEXT ASSY

PART NAME

Test Mass Shroud Clamp Comparison

DESIGNER J. Terrones 10.Sept.2020

DRAFTER

CHECKER

APPROVAL

SIZE DWG. NO.

A D02000434

REV.

SCALE: 1:20

PROJECTION:



SHEET 1 OF 1

4

3

2

1